



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/533,687

05/02/2005

Ken Kawamata

12577/62

8656

23838 7590 07/30/2007
KENYON & KENYON LLP
1500 K STREET N.W.
SUITE 700
WASHINGTON, DC 20005

EXAMINER

NGUYEN, TU T

ART UNIT

PAPER NUMBER

2886

MAIL DATE

DELIVERY MODE

07/30/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/533,687	Applicant(s) KAWAMATA ET AL.	
	Examiner Tu T. Nguyen	Art Unit 2886	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on 05 July 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 18-31 is/are pending in the application.
- 4a) Of the above claim(s) 18-21 and 26-31 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 22-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 02 May 2005 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>05/02/05</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Drawings

Figure 18 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Election/Restrictions

Applicant's election with traverse of Species II (claims 22-25) in the reply filed on 07/05/2007 is acknowledged. The traversal is on the ground(s) that Species II should be included claims 22-25. This is found persuasive. Claims 22-25 are examined and claims 18-21,26-31 should be cancel in the next reply.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory

Art Unit: 2886

obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 22-24 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-16 of U.S. Patent No. 7,050,224. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims are anticipated by claims 1-16 of '224.

Art Unit: 2886

With respect to claims 22-23, Claims 1 and 2 of '224 disclose all the claimed limitations except for the interval between a wavelength of the laser light and a half-value wavelength of the absorption filter on a short-wavelength side as claimed. Since claim 1 of '224 discloses the space between the wavelengths of the filter, it would have been obvious to modify claim 1 of '224 with any desire space (i.e. the claimed space) for different testing purposes.

With respect to claims 24-25, claims 1, 3 of '224 disclose all the claimed limitations.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 22-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Erdogan et al (6,809,859).

With respect to claim 22, Erdogan discloses an apparatus for fluorescence observation 200 (fig 2) comprising laser light 202 (fig 2) used as exciting light, and an absorption filter 210 (fig 2) which blocks the exciting light and transmits only the fluorescence generated from a specimen 218 (fig 2) with the exciting light,

Art Unit: 2886

wherein the absorption filter includes a multilayer film having 90 or more film layers (column 11, lines 13-22).

Erdogan discloses the interval between the wavelength of the excitation filter 204 (fig 2) and a half-value wavelength of the absorption filter on a short-wavelength side in a range of 6-12 nm (fig 6). Erdogan does not explicitly disclose the interval between a wavelength of the laser light and a half-value wavelength of the absorption filter on a short-wavelength side is within a width between 1 nm to 12nm. However, if the light source and the excitation filter of Erdogan are combined into a single unit, the claimed interval between the wavelength of the laser source and the absorption filter would have been obvious. It would have been obvious to modify Erdogan by combining the light source 202 (fig 2) and the filter 204 (fig 2) into a single light source to facilitate the measuring.

With respect to claim 23, Erdogan discloses the claimed width 6-12 nm (fig 6).

With respect to claim 24, Erdogan discloses the claimed invention except for changing the half-value wavelength of the absorption filter when humidity changes from 10% to 95% as claimed. However, it would have been obvious to modify Erdogan with the absorption filter as claimed to use the filter in different testing environments.

Art Unit: 2886

With respect to claim 25, Erdogan discloses the multilayer film of the absorption filter laminated of alternately arranged between the films made of SiO₂ and Ta₂O₅ (column 8, lines 10-11; column 11, lines 13-22 and table 1).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tu T. Nguyen whose telephone number is (571) 272-2424. The examiner can normally be reached on T-F 7:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tarifur Chowdhury can be reached on (571) 272-2800 Ext. 86. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2886

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Tu T. Nguyen
Primary Examiner
Art Unit 2886

07/18/2007